



New Zealand standardised oral formulation batch sheet

Baclofen suspension 1 mg/mL (50 mL)

NB: This concentration was introduced 1st November 2021 – see [HQSC Medication Alert](#)

Patient's name		Storage condition	In a refrigerator	At room temperature
NHI		Temperature	2-8°C	≤ 25°C
Date compounded		Shelf life	30 days	30 days
Batch number		Recommended storage	<input checked="" type="checkbox"/>	May be stored at room temperature if this is more practical and temperatures greater than 25°C are avoided

Ingredients required and formula:							
Ingredient	Supplier	Batch number	Expiry date	Standard formula	Quantity dispensed	Dispensed by	Checked by
Baclofen 10 mg tablets				5 tablets			
Ora-Blend SF [®]	Perrigo			to 50 mL			
OR							
Ora-Plus [®]	Perrigo			25 mL			
Ora-Sweet SF [®]	Perrigo			25 mL			
Ora-Blend or Ora-Sweet can be substituted?				Yes, but assign 14-day expiry (shelf life) *			
Calculations performed by							
Calculations checked by (pharmacist)							
Area cleared for processing by							

Instructions to compound suspension:

1. **If Ora-Blend SF[®] unavailable:** Pre-mix the Ora-Plus[®] and Ora-Sweet SF[®] to form the diluent.
2. Crush tablets in mortar to a fine powder.
3. Gradually add the diluent (Ora-blend SF[®]) to form a smooth paste and transfer to the final measuring flask, rinsing the mortar well. Mix well.
4. Make up to the final volume and mix well.
5. Label and package product appropriately.

Labels	
<i>Attach product label and auxiliary labels:</i>	Label checked by



New Zealand standardised oral formulation batch sheet

Baclofen suspension 1mg/mL (50mL)

NB: This concentration was introduced 1st November 2021 – see [HQSC Medication Alert](#)

Final yield	_____ mL	Checked by	
Final appearance of product	White to pale pink suspension		
Container	Amber plastic mission bottle / amber glass		
Compounded by	<i>Name:</i>	<i>Signature:</i>	<i>Date:</i>
Final check and product release	<i>Name:</i>	<i>Signature:</i>	<i>Date:</i>
Special instructions: <ol style="list-style-type: none">* Note: Suspensions prepared with Ora-blend turned faint brown after day 14 at both storage conditions; no differences in odour or pH were observed and the baclofen concentration in all formulations remained above 90% throughout the 30-day study period.Shake well before use.Store in a refrigerator.			
References: <ol style="list-style-type: none">Purohit TJ, et al. Formulation and stability evaluation of an extemporaneously prepared baclofen suspension (1 mg/mL). J Pharm Pract Res. 2021; 51(4): 314-320.			
Prepared by	New Zealand Compounding Working Group		
Approved by	Medication Safety Expert Advisory Group of the Health Quality & Safety Commission NZ		
Hosted by	Pharmaceutical Society of New Zealand Standard Formulations in the Practice Support section of the PSNZ website		
Version number	1.0	Version approval date	1/11/21
Document review due	1/11/23		

Disclaimer: This batch sheet has been designed to provide guidance and standardised formulations for New Zealand pharmacists. Please read and familiarise yourself with the general guidance for compounding oral liquids (available on the PSNZ web site) before use.

Information was considered accurate at the time of publication.